

JPL Ocean Worlds Lab

Overview & Highlights
Kevin Peter Hand & Team

Creating ocean worlds surface ice in the lab

- Europa/Enceladus in a Can: High fidelity, small sample
 - 1-10 μm sample (vapor deposited or placed onto cold-finger)
 - Europa/Enceladus Temp and Pressure (100 K, 1e-9 torr)
 - Radiation: Electron gun/lon gun
- Stockpots: Low fidelity, large sample, 'rapid prototyping'
 - 20 cm thickness, 40 cm diameter
 - Earth to Europa/Enceladus processes
 - T down to -30 C, P <1 torr
 - Stationary lamp (halogen)
- Ark: High fidelity, large sample
 - 30 cm thickness, 60 x 120 cm 'bathtub'
 - Diurnal scan platform with vis/ir leds for solar spectrum
 - Europa/Enceladus T and P
- Cutting chambers now migrated to new building


Europa/Enceladus in a Can (Minos Chamber)





Stockpots









Penitentes: T = -15 C, ~1 torr









The Ark




















Working to Define Materials and Topographies for V&V





Early Testing Performed with Hand Tools and Low-Fidelity Testbeds






Early Testing Performed with Hand Tools and Low-Fidelity Testbeds





Significant Progress Has Been Made Building High-Fidelity Test Infrastructure





Sampling System Excavation Tools: V-Saw (baseline) and Right-Angle





Excavation with Data Collection





Terrain Excavation Videos

